

Indoor unit model name FDT60VH Outdoor unit model name SRC60ZSX-W1

Refrigerant	R32	GWP	6	675	
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.					
Cooling mode					
SEER		8.8			
Energy efficier		A+++			
Design load (F			kW		
Energy consu				per year.based on standard test results.	
Actual energ	gy consumption will	depend on	how t	the appliance is used and where it is located.	
Heating mode (A	verage)				
SCOP		5.0			
Energy efficier		A++			
Design load (F			kW		
Declared capa			kW	(-10°C)	
Back up heatir			kW	(-10°C)	
Energy consu				per year based on standard test results.	
Actual energ	by consumption will	depend on	how t	the appliance is used and where it is located.	
Heating mode (W	/armer) Optional				
SCOP		-			
Energy efficier	ncy class	-			
Design load (F		-	kW	(2°C)	
Declared capa		-	kW	(2°C)	
Back up heatii	ng capacity	-	kW	(2°C)	
Energy consul	mption,	-	kWh	per year.based on standard test results.	
Actual energ	y consumption will	depend on	how t	the appliance is used and where it is located.	
Heating mode (C	older) Ontional				
SCOP		_			
Energy efficier	ncy class				
Design load (F		-	kW	(-22°C)	
Declared capa			kW	(-22°C)	
Back up heatin			kW	(-22°C)	
Energy consumption, - kWh per year.based on standard test results.					
Actual energy consumption will depend on how the appliance is used and where it is located.					
Sound power		58		dB(A)	
Sound power	ievei (outdoor)	65		0B(A)	
Sound power	level (outdoor)	65		dB(A)	