

Indoor unit model name SRK35ZSX-WFB Outdoor unit model name SRC35ZSX-W

Refrigerant	R32	GWP	6	675	
Temyerani	NJZ	UVVE	C	515	
contribute less to appliance contai would be leaked over a period of	o global warming than ns a refrigerant fluid w to the atmosphere, th	a refrigerant vith a GWP e le impact on o interfere w	t with h equal to global	igher GWP, if leaked 675. This means that warming would be 67	al warming potential (GWP) would to the atmosphere. This at if 1kg of this refrigerant fluid 75 times higher than 1kg of CO2, urself or disassemble the product
Cooling mode					
SEER		9.5			
Energy efficie		A+++			
Design load (			kW		
Energy consu					on standard test results.
Actual ener	gy consumption will	depend on	now i	ne appliance is use	ed and where it is located.
Heating mode (A	verage)				
SCŎP `	0 /	5.1			
Energy efficie	ency class	A+++			
Design load (	Pdesignh)		kW	(-10°C)	
Declared cap		3.40	kW	(-10°C)	
Back up heat			kW	(-10°C)	
Energy consu					n standard test results.
Actual ener	gy consumption will	depend on	how t	he appliance is use	ed and where it is located.
Heating mode ()	Narmar) Ontional				
SCOP	Varmer) Optional	6.5			
Energy efficie	ncy class	0.5 A+++			
Design load (			kW	(2°C)	
Declared cap		4.70		(2°C)	
Back up heat			kW	(2°C)	
Energy consu					n standard test results.
					ed and where it is located.
		•			
Heating mode (C	Colder) Optional				
SCOP		-			
Energy efficie		-			
Design load (			kW	(-22°C)	
Declared cap	,		kW	(-22°C)	
Back up heat			kW	(-22°C)	a standard to star
Energy consu					on standard test results.
Actual ener	gy consumption will	aepend on	now t	ne appliance is use	ed and where it is located.
Sound power	level (indoor)	58		dB(A)	
-	level (outdoor)	50 61		dB(A)	
I Souria bower		01			