

Indoor unit model name SRK20ZS-WF x 2 units Outdoor unit model name SCM40ZS-W

Defrigenent	Dee			0.75
Refrigerant	R32	GWP	(675
contribute less to appliance contai would be leaked over a period of	o global warming than ns a refrigerant fluid w to the atmosphere, th	a refrigerant ith a GWP e e impact on p interfere w	t with h equal to global	gerant with lower global warming potential (GWP) would higher GWP, if leaked to the atmosphere. This o 675. This means that if 1kg of this refrigerant fluid warming would be 675 times higher than 1kg of CO2, refrigerant circuit yourself or disassemble the product
Cooling mode				
SEER		7.6		
Energy efficie		A++		
Design load (4.0		
Energy consu				per year.based on standard test results.
Actual ener	gy consumption will	depend on	how	the appliance is used and where it is located.
Heating mode (A	verage)			
SCOP	(verage)	4.5		
Energy efficie	ncv class	A+		
Design load (kW	(-10°C)
Declared cap		4.40		(-10°C)
Back up heat			kW	(-10°C)
Energy consu				per year.based on standard test results.
				the appliance is used and where it is located.
	Varmer) Optional			
SCOP	_	5.7		
Energy efficie		A+++		
Design load (kW	(2°C)
Declared cap		5.80		(2°C)
Back up heat			kW	(2°C)
Energy consu				per year.based on standard test results.
Actual energy	gy consumption will	depend on	how	the appliance is used and where it is located.
Heating mode (C	Colder) Optional			
SCOP		-		
Energy efficie	ncv class	-		
Design load (-	kW	(-22°C)
Declared cap			kW	(-22°C)
Back up heat			kW	(-22°C)
Energy consu				per year.based on standard test results.
				the appliance is used and where it is located.
Sound power	level (indoor)	* 48		dB(A) * The sound power level indicated is the highes
	level (outdoor)	64		dB(A) value among that of connected indoor units.