

Indoor unit model name FDTC35VH1 x 2 units Outdoor unit model name SCM50ZS-W

Refrigerant	R32	GWP		675
		0001		
contribute less to appliance contai would be leaked over a period of	o global warming than a ns a refrigerant fluid wi to the atmosphere, the	a refrigerant th a GWP e impact on interfere w	t with h qual to global	erant with lower global warming potential (GWP) would higher GWP, if leaked to the atmosphere. This o 675. This means that if 1kg of this refrigerant fluid warming would be 675 times higher than 1kg of CO2, refrigerant circuit yourself or disassemble the product
Cooling mode				
SEER		7.0		
Energy efficie		A++		
Design load (5.0		
Energy consu				per year.based on standard test results.
Actual ener	gy consumption will (depend on	how	the appliance is used and where it is located.
Heating mode (A	verage)			
SCOP		4.5		
Energy efficie	ency class	A+		
Design load (4.8	kW	(-10°C)
Declared cap	acity	4.80	kW	(-10°C)
Back up heat			kW	(-10°C)
Energy consu				per year.based on standard test results.
Actual ener	gy consumption will	depend on	how	the appliance is used and where it is located.
Heating mode ()	Varmer) Optional			
SCOP	vanner) Optional	6.1		
Energy efficie	ency class	A+++		
Design load (kW	(2°C)
Declared cap		6.40		(2°C)
Back up heat			kW	(2°C)
Energy consu				per year.based on standard test results.
				the appliance is used and where it is located.
Heating mode (0	Colder) Optional			
SCOP		-		
Energy efficie		-	L\\/	(22°C)
Design load (-	kW kW	(-22°C)
Declared cap		-	kvv kW	(-22°C)
Dook up hoot		-		(-22°C)
Back up heat	0 1 7		L/1/h	har vaar hacad on etandard toet roeulite
Energy consu	imption,			per year.based on standard test results.
Energy consu	imption,			the appliance is used and where it is located.
Energy consu Actual ener	umption, gy consumption will (depend on		the appliance is used and where it is located.
Energy consu Actual ener	imption,			